

L Number	Hits	Search Text	DB	Time stamp
13	7816	((measure measuring measured measurement meter metering) with distance) and ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:50
14	1123	((measure measuring measured measurement meter metering) with distance) same ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:22
15	730	((measure measuring measured measurement meter metering) with distance) with ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:22
16	4571	((measure measuring measured measurement meter metering) with distance) and ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) and (print printing printer image imaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:28
17	1859	((measure measuring measured measurement meter) with distance) and ((vary varying) with (laser light beam) with (power intensity intensities)) and (print printing printer image imaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:24
18	412	((measure measuring measured measurement meter metering) with distance) with ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) and (print printing printer image imaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:09
19	216	((measure measuring measured measurement meter metering) with distance) same ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) same (print printing printer image imaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:24
20	115	((measure measuring measured measurement meter metering) with distance) with ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) with (print printing printer image imaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:25
21	48846	distance with (light laser beam) with (drum ((print printing imaging image) surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:26
22	1839	((measure measuring measured measurement meter metering) with distance) and ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) and (print printing printer image imaging)) and (distance with (light laser beam) with (drum ((print printing imaging image) surface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:26

23	27	((measure measuring measured measurement meter metering) with (laser light beam) with (print printing imaging image) with distance) and ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with input with (power intensity intensities)) and (print printing printer image imaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:02
24	7	((measure measuring measured measurement meter metering) with (laser light beam) with (print printing imaging image) with distance) same ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with input with (power intensity intensities)) same (print printing printer image imaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:49
27	0	((measure measuring measured measurement meter metering) with (laser light beam) with (print printing imaging image) with distance) same ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with input with (power intensity intensities)) same (print printing printer image imaging)) and (distance with meter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:50
28	612	((measure measuring measured measurement meter metering) with distance) and ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) and (print printing printer image imaging)) and (distance with meter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:50
29	1902	((meter metering) with distance) and ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:51
30	206	((meter metering) with distance) and (((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) with distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:51
31	31	((meter metering) with distance) with (((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) with distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:55
32	2	((meter metering) with distance) with (((change changing vary varying adjust adjusting adjustment correct correcting correction) near (laser light beam) with (power intensity intensities)) with distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:52
33	1	((meter metering) with distance with (laser light beam) with (drum ((print printing imaging image photosensitive) with surface))) with (((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) with distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:56

35	2	((meter metering) with distance with (laser light beam) with (drum ((print printing imaging image photosensitive) with surface))) and (((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) with distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:56
36	10	((measure measuring measured measurement meter metering) with (laser light beam) with (print printing imaging image) with distance) and ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with input with (power intensity intensities) with distance) and (print printing printer image imaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 15:58
37	1	((measure measuring measured measurement meter metering) with (laser light beam) with (print printing imaging image) with distance) and ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with input with (power intensity intensities)) and (print printing printer image imaging)) and (distance with meter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:03
38	22	((measure measuring measured measurement meter metering) with distance) same ((change changing vary varying adjust adjusting adjustment correct correcting correction) with (laser light beam) with (power intensity intensities)) same (print printing printer image imaging)) and (distance with meter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:08
39	152	bernd with vosseler) (bernard with beier) (uwe with ernst	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:08
40	193904	((measure measuring measured measurement meter metering) with distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:14
41	12	(bernd with vosseler) (bernard with beier) (uwe with ernst) and ((measure measuring measured measurement meter metering) with distance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:14
44	401727	((measure measuring measured measurement meter metering) with (position distance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:14
45	13	(bernd with vosseler) (bernard with beier) (uwe with ernst) and ((measure measuring measured measurement meter metering) with (position distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:15
46	1	((bernd with vosseler) (bernard with beier) (uwe with ernst) and ((measure measuring measured measurement meter metering) with (position distance))) not(((bernd with vosseler) (bernard with beier) (uwe with ernst) and ((measure measuring measured measurement meter metering) with distance))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 16:14

47	13	(bernd with vosseler) (bernard with beier) (uwe with ernst) and ((measure measuring measured measurement meter metering) with (position distance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 16:15
----	----	---	---	---------------------